



POLAR WIRE PRODUCTS INC.

Arctic Superflex Blue® Double Conductor Bulk Cable



Arctic Superflex Blue®

has been tested and successfully used for more than a decade in the harsh environment of Alaska's Arctic North Slope. Flexibility is achieved by combining finely stranded copper construction with a jacket resistant to the abuses of oil, gasoline, salt water, acids and chemicals. **Arctic Superflex Blue®** cables are highly abrasion resistant and can be used in most 600 volt applications.

Typical Legend

1/0 AWG 2/C ARCTIC SUPERFLEX BLUE -55C TO 105C VW-1 600 VOLTS OIL RESISTANT

We use Arctic SuperFlex Blue™ double conductor cable exclusively in our stock and custom jumper cable systems.

- Stays flexible to -55°C
- Highly abrasion and chemical resistant wire insulation
- *Considerably* more copper than standard auto jumper cable
- "Polarity striped" for safety identification



Polar Wire Products, Inc. is the exclusive manufacturer of Arctic Superflex Blue®



Arctic Superflex Blue®

Part Number	AWG
ASF-8X2	8
ASF-6X2	6
ASF-4X2	4
ASF-2X2	2
ASF-1/0X2	1/0



-55°C TO 105°C

Thermoplastic Elastomer Jacket

- Same jacket as **Arctic Ultraflex Blue®**
- Cold weather flexibility to -67°F (-55°C)
- High temperature performance to 221°F (105°C)
- Chemical, abrasion, and water resistant
- Parallel bonded construction
- Polarity stripe extruded into jacket
- Tangle resistant

Copper Stranding

- Fine stranded, flexible copper construction for maximum conductivity
- Built to same UL/AWG specifications as **Arctic Ultraflex Blue®**
- Exceeds Society of Automotive Engineers (SAE) standards

Applications


- Battery and jumper cables
- Wind and solar power systems
- Outboard motor leads
- Tow truck booster systems
- ATV and RV power cables
- Uninterrupted power supply systems (UPS)

Size and Colors

- 8 AWG – 1/0 AWG
- Other sizes, custom colors, and striping available on request. Minimums apply.



Polarity stripe extruded into jacket



Custom colors and striping available

Shop our online store!

www.polarwire.com (907) 561-5955